

Material Name: Conductive Roving / Polyester Combination Yarn / All Glass Combination Yarn

Section 1: Product and Company Information

GHS Product Identifier

Product Name(s): Conductive Roving, Polyester Combination Yarn, or All Glass Combination Yarn

Other Means of Identification

Synonyms: Winding, Cone Winding, All-Glass

Recommended Use and Restrictions

Recommended Use: Input in the production of glass reinforcement products.
Restrictions: No information available.

Supplier's Details

Supplier Information:
Superior Huntingdon Composites, LLC
1200 Susquehanna Ave.
Huntingdon, PA 16652
Telephone: 1-814-641-8000
(8:00 am to 5:00 pm ET, weekdays)

Emergency Phone Numbers

Emergency Contacts:
CHEMTREC (24 hours every day): 1-800-424-9300
Health and Technical Contacts:
1-814-641-8000 (8:00 am to 5:00 pm ET, weekdays)

Section 2: Hazards Identification

Classification

This product is not considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

GHS label elements, including precautionary statements

Emergency Overview		
No unusual conditions are expected from this product		
Appearance: White / off white	Physical State: Solid	Odor: None

Primary Routes of Exposure: Inhalation, Lungs, Skin, Eye

Page 1 of 9

Potential Health Effects:

Inhalation: Dust and fibers from this product may cause mechanical irritation of the nose, throat, and respiratory tract.

Skin Contact: Dusts and fibers from this product may cause temporary mechanical irritation to the skin.

Eye Contact: Dusts and fibers from this product may cause temporary mechanical irritation to the eyes.

Ingestion: Ingestion of this product is unlikely. However, ingestion of product may produce gastrointestinal irritation and disturbances.

Medical Conditions Aggravated by Exposure: Chronic respiratory and skin conditions may temporarily worsen from exposure to this product.

Chronic Conditions: See Section 11 for additional information.

Section 3: Composition Information

Common Name	CAS No.	W
Fiber Glass (non respirable)*1	65997-17-3	98-
Size	NA	0-

Note: *1 – As manufactured, continuous filament glass fibers are not respirable. Continuous filament glass products that are chopped, crushed or severely mechanically processed during manufacturing or use may contain a very small amount of respirable particulate, some of which may be glass shards. See Section 8 of Material Safety Data Sheet for exposure limit data.

Component Related Regulatory Information

This product may be regulated, have exposure limits or other information identified as the following: glass wool fiber, fibrous glass and nuisance particulates.

Component Information/Information on Non-Hazardous Components

No additional information available.

Section 4: First Aid Measures

Description of First Aid Measures

Inhalation:

Move person to fresh air. Seek medical attention if irritation persists.

Skin Contact:

For skin contact, wash with mild soap and cold water. Do not wash with warm water because this will open up the pores of the skin, which will cause further penetration of the fibers. Use a washcloth to help remove fibers. To avoid further irritation, do not rub or scratch affected areas. Rubbing or scratching may force fibers into skin. If irritation persists get medical attention.

Eye Contact:

Immediately flush eyes with plenty of running water for at least 15 minutes. If irritation persists get medical attention.

Ingestion:

Ingestion of this material is unlikely. If it does occur, watch the person for several days to make sure that intestinal blockage does not occur.

Section 5: Fire Fighting Measures

Suitable Extinguishing Media

Water fog, foam, carbon dioxide (CO₂) or dry chemical.

Specific Hazards Arising from Material

Primary combustion products are carbon monoxide, hydrogen, carbon dioxide and water. Other undetermined compounds could be released in small quantities.

Special Protective Equipment

Use self-contained breathing apparatus (SCBA) and full bunker turnout gear in a sustained fire.

Additional Information

Flash point:	None	Flash point method:	Not determined
Upper flammability limit:	None	Lower flammability limit:	None
Flammability class:	Non-flammable	Vapor density (Air=1):	N/A
Unusual fire and Explosion hazards	None known		

Section 6: Accidental Release Measures

Containment Procedures

This material will settle out of air. If concentrated on land, it can be scooped up for disposal as non-hazardous waste. This material will sink and disperse along the bottom of waterways and ponds. It cannot easily be removed after it is waterborne; however, the material is non-hazardous in water.

Clean-up Procedures

Scoop up material and put into a suitable container for disposal as a non-hazardous waste.

Response Procedures

Isolate area. Keep personnel away.

Section 7: Handling and Storage

Precautions for Safe Handling

Keep product in its packaging, as long as practicable to minimize potential dust generation. Keep work areas clean. Avoid unnecessary handling of scrap materials. Wear PPE as described in Section 8.

Storage Procedures

No special procedures.

Section 8: Exposure Controls and Personal Protection

Exposure Limits

Fiber Glass Continuous Filament (65997-17-3)

Ingredient	OSHA PEL (8-hr TWA)	ACGIH TLV (8-hr TWA)
Non-respirable fibers and	15 mg/m ³ (total dust)(a)	5 mg/m ³ (inhalable
Respirable particulate	5 mg/m ³ (respirable dust)(b)	3 mg/m ³ (PNOC)*
Respirable particulate with fiber like dimensions (glass shards)	None Established	1 fiber/cm ³ Aspect ratio > 5:1

*PNOC = Particles not otherwise classified

Engineering Measures

Ventilation: General dilution ventilation and/or local exhaust ventilation should be provided as necessary to maintain exposures below occupational exposure limits.

Individual Protection Measures, Such as Personal Protective Equipment

Respiratory Protection: A properly fitted NIOSH approved N 95 series disposable dust respirator such as the 3M model 8210 (model 8271 in high humidity environments) or equivalent should be used when high dust levels are encountered, the level of glass fibers in the air exceeds the occupational exposure limits, or if irritation occurs.

Skin Protection: Normal work clothing (long sleeved shirts and long pants) is recommended. Use gloves. Skin irritation is known to occur chiefly at pressure points such as around neck, wrists, waist, and between fingers.

Eye/Face Protection Equipment: Wear safety glasses, goggles or face shield.

Section 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Appearance:	White / off white
Odor:	None
Physical State:	Solid
pH:	N/A
Vapor pressure (mm Hg @ 20 ⁰ C):	N/A
Vapor Density (Air = 1):	N/A
Boiling Point:	N/A
Solubility (H ₂ O):	Insoluble
Specific Gravity (Water =1):	2.6
Freezing Point:	N/A
Evaporation Rate (n-Butyl Acetate=1):	N/A
Viscosity:	N/A
VOC:	<0.4%
Melting (Softening) Point:	>800 ⁰ C
Partition Coefficient	N/A
Auto Ignition Temperature	N/A

Section 10: Stability and Reactivity

Chemical Stability

This is a stable material.

Hazardous Reactions

None known

Conditions to Avoid

None known

Incompatible Materials

None known

Hazardous Decomposition Products

Sizings or binders may decompose in a fire. See Section 5 of SDS for information on hazardous combustion products.

Section 11: Toxicological Information

Information on likely routes of exposure

Inhalation	May cause coughing, nose and throat irritation, and sneezing. People with pre-existing respiratory conditions may experience difficulty breathing, congestion and chest tightness.
Eye contact	May cause temporary eye irritation.
Skin contact	May cause temporary irritation to the affected area.
Ingestion	May cause irritation of the throat, stomach and gastrointestinal tract. Not an expected route of exposure.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	May cause temporary irritation to the affected area.
----------	--

Delayed and immediate effects and chronic effects from short and long term exposure

Fiber Glass Continuous Filament: The International Agency for Research on Cancer (IARC) in June, 1987, categorized fiber glass continuous filament as not classifiable with respect to human carcinogenicity (Group 3). The evidence from human as well as animal studies was evaluated by IARC as insufficient to classify fiber glass continuous filament as a possible, probable, or confirmed cancer causing material.

The American Conference of Governmental Industrial Hygienists (ACGIH) A4 classification, not classifiable as a human carcinogen, for respirable continuous filament glass fibers is based on inadequate data in terms of its carcinogenicity in humans and/or animals.

For respirable continuous filament glass fibers, a TLV-TWA of 1 fiber/cc was adopted to protect workers against mechanical irritation. The TLV-TWA of 5 mg/m³ was adopted for nonrespirable glass filament fiber, measured as inhalable dust, to prevent mechanical irritation of the upper respiratory tract.

Note: There are no known chronic health effects connected with long-term use or contact with these products.

Products that are chopped, crushed or severely mechanically processed during manufacture or use may contain a very small amount of respirable glass fiber-like fragments. NIOSH defines "respirable fibers" as greater than 5 microns in length and less than 3 microns in diameter with an aspect ratio of $\geq 5:1$ (length-to-width ratio).

Chronic Study in Animals

A laboratory test was conducted with a different product (special application glass fiber) with comparable composition and durability. Test animals breathing very high concentrations of respirable fibers on a long-term basis developed fibrosis, lung cancer and mesothelioma.

About 23% of the rats (n=43) exposed to 1022 f/cc for 5 hrs/day, 7 days/week for 52 weeks developed lung tumors (adenoma and carcinoma). Five percent (5%) of the unexposed control group (n=38) developed lung tumors (adenoma and carcinoma).

Five percent (5%) of the rats in the exposed group developed mesothelioma and 12.5% developed advanced fibrosis. None of the rats in the unexposed control group developed mesothelioma and 0.6% developed advanced fibrosis. A second group of rats was exposed to a similar concentration of asbestos (respirable amosite fibers) for 5 hours/day, 7 days a week for 52 weeks. 38% of the rats developed lung tumors (adenoma and carcinoma) and 5% developed mesothelioma. 14.5% developed advanced fibrosis.

Importantly, this result, that is similar disease rates for the special application fiber and amosite asbestos, had been predicted in a 1996 scientific paper (Inhal. Tox. 8:323-343, 1996 ref). That paper specifically stated that in rats all fibers which were durable enough to remain in a rat lung for two (2) years or more, would produce the same disease rates if the exposures were the same. While the special application fiber is much less durable than asbestos, it is stable enough to remain in the rat lung for more than the two (2) year time period. The results of the current study are therefore not unexpected, and they do not indicate that similar disease rates would be seen in longer lived species or humans, exposed to these fibers.

Component Carcinogenicity

Fiber Glass Continuous Filament (65997-17-3)

ACGIH: A4 – Not classified as a human carcinogen.

IARC: Group 3 “not classifiable as to its carcinogenicity to humans” October 2001 meeting

Section 12: Ecological Information

No data available for this product. This material is not anticipated to harm animals, plants or fish.

Section 13: Disposal Considerations

Waste Disposal Methods / US EPA Waste No.

Material if discarded, is not expected to be a characteristic hazardous waste under RCRA. No EPA Waste Numbers are applicable for this product's components. Dispose of waste material and packaging materials according to Local, State, Federal and Provincial Environmental Regulations.

Section 14: Transport Information

US DOT/TDG (Canada) Information

Shipping Name:	Not regulated for transport
Hazard Class:	None
UN/NA #:	None
Packing Group:	None
Required Labels:	None
Marine Pollutant:	None

Additional Transportation Regulations:

No additional information available.

Section 15: Regulatory Information

US Federal Regulations:

A: General Product Information

No additional information available.

B: Component Analysis

No additional information available.

The following is provided to aid in the preparation of SARA 311 and 312 reports.

Acute Health Hazard:	Yes
Chronic Health Hazard:	No
Fire Hazard:	No
Sudden Release of Pressure Hazard:	No
Reactive Hazard:	No

C: Clean Air Act

There are no components that appear on the Clean Air Act – 1990 Hazardous Air Pollutants List:

State Regulations:

A: General Product Information

No additional information available.

B: Component Analysis - California

California Proposition 65: Chemical	CAS Number:	Concentration – Parts Per Billion (PPB) Maximum
1, 4-Dioxane	123-91-1	< 5.0
Acetaldehyde	75-07-0	< 5.0
Ethylene Oxide	75-21-8	< 5.0
Formaldehyde	50-00-0	< 12.1

Other Regulations:

A: General Product Information

No additional information available.

B: Component Analysis - Inventory

Component	CAS #	TSCA	DSL	EINECS
Fiber Glass (Continuous Filament)	65997-17-3	Yes	Yes	266-046-0

C: Component Analysis – WHMIS IDL

The following components are identified under the Canadian Hazardous Products Act
Ingredient Disclosure List: **None**

WHMIS Status: Not controlled

WHMIS Classification: None

D: Other Government Regulations

Continuous filament glass products are not classified as a “Dangerous Substance” or a “Dangerous Preparations” under the EU Directive 88/379/EEC.

1. Classification and Labeling (EEC)

This product is not required to be labeled under Council Directives 88/379EEC, 67/548/EEC, Annex I, and 97/69/EC.

2. Certification statement for:

Directive 2002/95/EC for RoHS and Directive 2002/96/EC for WEEE

Based on our current glass analyses, HFP certifies that our fiberglass mats are well below the requirements of both of these Directives.

Section 16: Other Information

HMIS and NFPA Hazard Ratings:

Category	HMIS	NFPA
Acute Health	1	1
Flammability	0	0
Reactivity	0	0

NFPA Unusual Hazards: None.

HMIS Personal Protection: To be supplied by user depending upon use.

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of the merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.